

CDDP+S-1 療法

適応

非小細胞肺癌

催吐性
リスク

高度

			Day1	Day8	Day15	Day22	Day29	Day35
S-1	40mg/m ² /回	1日2回, 経口	→			21日間		
CDDP	60mg/m ²	DIV, 60min		●				

5週間毎, 4コース

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	
① S-1 40mg/m ² ×2		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○															
経口																																					
② ソルデム1輸液 500mL									●																												
硫酸Mg補正液1mEq/mL 8mL									●																												
DIV 60min																																					
③ アロキシバッグ0.75mg 50mL									●																												
デキサート注射液 9.9mg									●																												
DIV 30min																																					
④ マンニトールS注射液 300mL									●																												
DIV 30min																																					
⑤ シスプラチン 60mg/m ²									●																												
生理食塩液注 500mL									●																												
DIV 60min																																					
⑥ ソルデム3A輸液 500mL									●																												
DIV 60min																																					

【S-1投与量】

体表面積

S-1初回基準量

1.25m²未満

40mg/回

1.25m²以上1.5m²未満

50mg/回

1.5m²以上

60mg/回