

# Pembro+CBDCA+PAC 療法

適応

非小細胞肺癌

催吐性  
リスク

中等度\*

			Day1	Day8	Day15	Day21
Pembrolizumab	200mg/body	DIV, 30min	●			
PTX	200mg/m <sup>2</sup>	DIV, 180min	●			
CBDCA	AUC 6	DIV, 60min	●			

3週間毎, 4-6コース

Day	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
① 生理食塩液注	100mL	●																											
デキサート注射液	19.8mg	●																											
ファモチジン注	20mg	●																											
DIV	30min																												
② キイトルーダ 200mg/body		●																											
生理食塩液注	100mL	●																											
DIV	30min																												
③ 生理食塩液注	50mL	●																											
DIV	15min																												
④ グラニセトロンバッグ3mg	50mL	●																											
DIV	30min																												
⑤ パクリタキセル 200mg/m <sup>2</sup>		●																											
生理食塩液注	500mL	●																											
DIV	180min																												
⑥ カルボプラチン AUC 6		●																											
5%ブドウ糖液	250mL	●																											
DIV	60min																												

【PTX前投薬】レスタミンコーワ錠 50mg/経口